

TEST		AASHTO	ASTM	STATE/FEDERAL	INDEPENDENT
Acid Base Test			ASTM D 5744		
Angularity Test Uncompacted Void Content of Fine Aggregate			ASTM C 1252		
Alkali Silica Reaction			ASTM C 1293		
Carbonate Content			ASTM D 3042		
Chemical Analysis of Hydraulic Cement		AASHTO T 105			
Chloride Content		AASHTO T 260		NELAP, NYSDOH 10142, NJDEP NY 015, CTDOPH OH 0554, EPA NY 00049, CAL DOT 422	MCAWW300
Clay Lumps and Friable Particles			ASTM C 142		
Compacted Soil Ratio California Bearing Ratio 3/4 3/8		AASHTO T 193	ASTM D1883		
Constant Head Permeability 3/4			ASTM D 2434		
Course Aggregate Report 3/4			ASTM C 88 ASTM C 131 ASTM C 136 ASTM C 330 ASTM D 698 ASTM D 4318		
Dry Compacted Density			ASTM D4253		
Dry Loose Density			ASTM D 4254		
Durability Index			ASTM D 3744		
Flat and Elongated Test			ASTM D 4791		

Florida Method of Test Resistance to Abrasion Small Size Course Agg				FM 1 T 096	
Freeze / Thaw			ASTM -666		
Hydrocure MIX DESIGN			ASTM C-39 ASTM C-78 ASMT C 157 ASTM C 12 ACI 211		
Hydrocure Masonry Mortar Test			ASTM C 109		
Hydrocure Standard Test Method Comprehensive Strength Hydraulic Cement Mortars			ASTM C 109/109M		
Hydrometer Test			ASTM D 422		
In-House Certification 25					
In-House Certification Greenlite Recycled Material					
Internal Curing Specification			ASTM C 330 ASTM C33 ASTM C 109C/109M ASTM C128	NYSDOT IC	
Internally Cured Paving Mixture					FROEHLING & ROBERTSON, INC. CONCRETE PAVING REPORT
LA Abrasion			ASTM C 131		
Laboratory Compaction Characteristics of Soil			ASTM D 698		
Liquid Limit, Plastic Limit and Plasticity Index of Soils			ASTM D 4318		

<p>Safety Data Sheet Physical Characteristics</p> <p>As required by OSHA, SDS are dated when they are issued and when: Any significant change has been made to the chemical compound or research has revealed a health or physical hazard different from what was originally stated or if the product has been listed as carcinogenic by a recognized agency. According to OSHA 1910.1200 (f)(11), a new SDS must be issued within three months if any of these conditions are met.</p>				<p>NORTHEAST SOLITE CORPORATION'S SAFETY DATA SHEET (SDS)</p>	
<p>Micro Deval</p>			<p>ASTM D 6928</p>		
<p>Minimum & Maximum Index Density of Soils</p>			<p>ASTM D 4253 Method 1A ASTM D4254 Method B</p>		
<p>Moisture Content</p>			<p>ASTM D 1461</p>		
<p>Moisture Density Standard Proctor</p>			<p>ASTM D 698</p>		
<p>Organic Content</p>		<p>AASHTO T 2</p>			
<p>Organic Impurities</p>			<p>ASTM C 40</p>		
<p>Percentage of Fractured Particles in Coarse Aggregate</p>			<p>ASTM 5821</p>		
<p>Petrographic Analysys</p>			<p>ASTM C 295</p>		
<p>pH</p>			<p>ASTM D 4972</p>		
<p>Plastic & Liquid Limit</p>			<p>ASTM D 4318</p>		
<p>Placing Concrete by Pumping Methods</p>					<p>ACI 304.2R</p>
<p>Rapid Chloride Permeability</p>			<p>ASTM C 1202</p>		

Resistance of Abrasion LA Machine			ASTM C-131 ASTM C 535	UL 618 FM 1 T-096 TR 111	
Resistance of Aggregates to Degradation			ASTM D 3744		
Resistivity 347		AASHTO T 288	ASTM G-57		
Resistivity Meter		AASHTO T 288			
Rigid Wall Constant Head Permiability			ASTM C-2434 Modified	GEOTEHNICS	
Rotary Kiln Shale, Clay, or Slate as an Amendment of Topsoil for Landscaping			ASTM D 5883		
Sand Equivalent Test			ASTM D 2419		
Sieve Analysis of Fine & Course Aggregates #7		AASHTO M 195	ASTM C 331	UL 618	
Sieve Analysis of Fine & Course Aggregates 3/4		AASHTO M 195	ASTM C 136 ASTM C 330	UL 618	
Sieve Analysis of Fine & Course Aggregates 3/8		AASHTO M 195	ASTM C 330	UL 618	
Sieve Analysis of Fine & Course Aggregates Greenlite		AASHTO M 195	ASTM C 331	UL618	
Solite 7					ANS CONSULTANTS, INC New Wheel True Facility, Hoboken, NJ
SOR TEST 3/4 3/8 w/ Freeze Thaw			ASTM C 330 ASTM C 331		
Soundness Loss – Magnesium Sulfate 3/4		AASHTO T 104	ASTM C 88		
Soundness of Aggregates			ASTM C 88		
Soundness Sodium Sulphate 3/4			ASTM C 88		
SPEC DATA SHEET			ASTM C 330 ASTM C 331 ASTM C 332		
Special Angle of Friction 3/4			ASTM D 3080		

Specific Gravity & Absorption of Coarse & Fine Aggregates			ASTM C 127 & C 128		
Standard Specification for Topsoil Used for Landscaping			ASTM D 5268		
Sulfate Content		AASHTO T 290			
Triaxial Compression Test			ASTM D 698		
Unit Weight of Aggregates			ASTM C 29 ASTM C29		